

LISOVIN

Lysozyme-Based Gut & Immune Support

LISOVIN

Lysozyme-Based Gut & Immune Support

Product Overview

Lisovin is an advanced immuno-nutritional feed supplement for poultry, combining enzymes, vitamins, postbiotics, nanominerals, herbal extracts, and essential oils. It supports gut health, boosts immunity, enhances liver function, and improves performance during stress, infection, and vaccination. Suitable for broilers, layers, and breeders.

Composition (per 100 g)

Active Ingredient	Strength
Lysozyme (Muramidase)	700 mg
Peroxidase	100 mg
Glucose Oxidase	300 mg
Butyrate Glycerides	8,000 mg
Vitamin C	300 mg
Vitamin E	100 mg
Nano Selenium	125 mg
Allicin	40 mg
Zinc Glycinate (nano)	2,000 mg
Vitamin A	100 IU
Vitamin D3	20 IU
Yeast postbiotics	500 mg
Andrographis Paniculata	8 mg
Anis Oil	7 mg
Oregano Oil	8 mg
Thyme Oil	8 mg
Black Seed Oil (Thymoquinone)	8 mg
Natural Betaine	40 mg
Electrolyte Blend (Na, K, Cl & Mg)	4,000 mg
MOS	20 mg

synergistically to suppress harmful bacteria and maintain a healthy gut microflora.

- Gut Integrity Butyrate glycerides, zinc, and postbiotics enhance intestinal lining health, improving nutrient absorption.
- Immune Support Vitamins, selenium, and Andrographis boost both innate and adaptive immunity.
- Oxidative Stress Reduction Antioxidants neutralize free radicals, protecting tissues during disease or heat stress.
- Performance Optimization Betaine and electrolytes maintain hydration, metabolism, and growth, even under challenging conditions.

Benefits

- Enhances gut health and mucosal immunity.
- Supports liver function and detoxification.
- Reduces stress during vaccination, transportation, and climate change.
- Improves feed intake, FCR, and growth performance.
- Strengthens the antioxidant defence system.
- Safe alternative to AGPs (Antibiotic Growth Promoters).
- Promotes faster recovery from infections and boosts vaccine response.

Inclusion Recommendation

Bird Type / Condition	Dosage	Application Method
Broilers	100–150 g per ton of feed	Mix uniformly in complete feed
Layers / Breeders	150–200 g per ton of feed	Mix uniformly in complete feed
During Stress or Infection	1 g per litre of drinking water	Dissolve in water
During Vaccination Period	1 g per litre of drinking water	Dissolve in water

Mode of Action

Pathogen Control – Enzymes, essential oils, and allicin act

Presentation

100 gm Pack size

Manufactured by Horus International Pvt. Ltd.









